ഐടി പി (1938) **Department.**

Ms. **SERIES.**

G.O. No. 3313 P

DATED 16.9.38

[Despatch Abstract.]

Licence - Kodipi Municipality
Grant of permission for the
installation of a 3 H.P
oil engine in a non
industrial area
Orders issued

Education & P.H. Department.

Subject.

License -installation - 3 H.P. oil engine - Udipi Municipality.

******

31173

D.T.P.No. 1353 /38. Dated the 18th July 1938.



From

Rao Sahib Sri.C.S.Hanumantha Rao., B.A.,
Ex-officio Director of Town Planning,Madras.

To

The Secretary to the Government of Madras,
Education & Public Health Department.

Sir,

I have the honour to forward herewith copies of letters No.2575-5 B/38, dated 6th June 1938 from the Commissioner, Udipi Municipality, this office reply thereon D.T.P.No.1101/38 dated 20th June 1938 and the Commissioner's letter dated 16th June 1938 for information of Government and to request that the resolution of the council No.20 dated 14th June 1938 granting license to the installation of a 3 H.P. oil engine in a non-industrial area may be cancelled by the Government under Section 36 of the District Municipalities Act.

Ramachandra.
18.7.38

for Ex-officio Director of
Town Planning,Madras.

S.C.18/7

Copy of letter
From the Commissioner, Udipi Municipality.
To the Director of Town Planning, Madras.

R.O.C.No.2575-5 B/38, dated 6th June 1938

Sub: Installation of machinery - in building No.3594 and 3595 of Kadbettu ward - Udipi Municipal area - licence applied for.

Ref: (1) application dated 4-4-38 of Sri K.Venkatesh Shanbhag
(2) Endt. D.Dis.493/38, dated 28-5-1938 of the District Health Officer, South Kanara.

*****

I am enclosing a true copy of the application for license for installation of a 3 H.P. engine in building No.3594 and 3595 of Kadbettu ward with one copy of the plan filed by the applicant. The site whereon the engine is proposed to be installed is outside the industrial area. A copy of the Endt. of the District Health Officer to whom the application was referred under G.O.No.1026 P.H. dated 8-5-1928 is also enclosed. I request you kindly to favour me with your remarks in the matter of granting a license at a very earl date.

****

Enclosure I.

From K.Venkatesh Shanbhag c/o K.Narsima Shanbhag, Residing at Shirbeedu, Udipi.
To the Commissioner, Udipi Municipality.

I humbly beg to state that I resolved to start a machine of wheat powder of three horse power in the old building of the Church compound in the Kadabettu ward, S.No. of the compound is 128/10 Municipal No. of the building is 3594/XI. 3595/XI.

I kindly request you to grant me license to powder the wheat and the other grains.

Description of the machine.

1. Engine of three horse power.
2. petter 28 model.
3. old machine starting
4. silence pipe 1½"
5. Water pipe 1½"
6. Revolution 300
7. Main belt 2"
8. Machine connection belt 1½"
9. Height of engine 2 feet
10. Height of powder machine 3 feet
11. Diameter of the powder stone 1 feet
12. 1½" belt 20 feet long
13. 2" belt 20 feet long.

******

Enclosure II.

Copy of Endt. N.Dis.493/38,dated 28th May 1938.

*****

Retransmitted.

I consider the location of the oil engine in the proposed thickly congested locality unsuitable. Either an electrical motor has to be installed in the present premises or the party advised to locate the oil engine in the industrial area.

sd. x x x
District Health Officer
28-5-1938.

****

Copy of letter
From the Director of Town Planning,Madras.
To the Commissioner, Udipi Municipality.

D.T.P.No.1101/38,dated 20th June 1938.

I agree with the remarks of the District Health Officer (Endt.N.Dis.493/38,dated 28th May 1938) that the installation of a 3 H.P. oil engine should not be permitted in the site. As the site is outside the industrial area the installation of an electric motor alone is permissible with reference to the orders in G.O.No.2371 P.H. dated 11-9-1935.

The plan received with your letter quoted above is returned herewith.

****

Copy of letter
From the Commissioner, Udipi Municipality
To the Director of Town Planning,Madras.

R.O.C.No.2575 -7B/38 dated 16th June 1938

Sub: License -under Section 250 of the Madras District Municipalities Act 1920.

Ref: This office letter R.O.C.No.2575-5B/38,dated 6-6-1938

*****

In continuation of the above I enclose a copy of resolution No.20 dated 14-6-1938 of the council granting license for installing the engine.

******

Enclosure.

Extract from the proceedings of the meeting of the Municipal council,Udipi,held on 14th June 1938.

x x x

20. Read petition dated 4-4-1938 of Sri V.Venkatesh Shanbhag applying for license under Section 250 of the M.D.M.Act 1920 as amended for installation of a 3 H.P. ~~engine~~ engine for preparing what flour etc. in building No.3594,3595 of Kadbettu ward (C.No. 2575/38)

Read also Endt.N.Dis.493/38,dated 28-5-1938 of the District Health Officer,South Kanara stating that he considers the location of the oil engine in the thickly congested locality unsuitable and that either an electric motor has to be installed in the present premises or the party advised to locate the oil engine in the industrial area.

Read also other connected papers in the matter.

******

"License is granted subject to the condition noted below:

The engine shall not work during nights after 7 P.M. until 7 A.M. in the morning. The party agrees also to this condition. As bigger engines are working in the immediate neighbourhood and as the proposed installation by the applicant is not likely to make so much noise and nuisance, the license is granted".

****

5/

Ep. Offices

CN6. 31173 from the D. T. P.

Town Dept

No. 1353/38 & 18.7.38

Licence – Udipi Mtz –
Grant of permission for the
installation of a 3 H.P.
oil engine outside the
industrial area

28/3/8

D

R = 16/8

Memo No 2/8 31173-IE/PHD 2-8-38

Referred to the
D.P.H. for ~~early~~ early
remarks.

SRK
2/8/38

D
1/8

2/8.

To

The D.P.H.
(with cf. in orgl)

Note. It seems desirable
to obtain the remarks
of the WSM. as to
if its restrictions stops
which have been begun
engines working in
the immediate neighbourhood

SRK
2/8/38

2/8.

6

C.F. 30.

PUBLIC HEALTH **DEPARTMENT.**

36705

Received 25 AUG 1938 19 *Registered* 19

Subject.

Licence--Udipi Municipality-- grant of permission for the installation of 3 H.P.oil,engine outside the industrial area.

E&P.H. Dept

The reply promised by the D.P.H. may be awaited till 15/9/38

29/8 SRM 31/8/38

29/8

ENCLOSURES.
No.
Spare copies

R. No.26190-1/Hyg.

Station Madras, *Dated the* 22nd August 1938

From (Name) Lt.Col.H.E.Short, I.M.S.,
(Designation) Director of Public Health, Madras.

To The Secretary to the Government of Madras,
Education and Public Health Department.

Sir,

Reference:-Government memorandum No.31173-1E1 P.H., dated, 2-8-38.

I have the honour to state that I have already reported in connection with cashew nut factories, plants that the Director of Public Health or one of the Assistant Directors of Public Health will be visiting South Kanara District shortly. The place in Udipi will also be inspected during that visit and a reply sent to Government.

Vide L.F. below

I have the honour to be,
Sir,
Your most obedient servant,

H.E. Short

Lt.Col.,I.M.S.,
Director of Public Health, Madras.

R/23-8

C.F. 30.

PUBLIC HEALTH DEPARTMENT.



Received 6-SEP 1938 19 *Registered* 38588 19

Subject.

Licence - Udipi municipality - grant of permission for the installation of a 3 Horsepower Oil Engine.

ENCLOSURES.
No.
Spare copies

R.No. 26190-1/Hyg.

Station Madras., *Dated the* 1st September 1938.

From (Name) Sri R.Adiseshan, Dip.Hyg.(Cantab.)
(Designation) Director of Public Health, Madras.

To The Secretary to the Government of Madras,
Education and Public Health Department.

Sir,

omit in communicating to the Hd el

In retransmitting herewith the enclosures received with Govt.Memo.No.31173-1-E.1 P.H., dated 2nd August 1938, I have the honour to state that the mill in question has been inspected by me on 28-8-38., It is located in a small shop abutting on a 16 foot road immediately next to a church and in close proximity to dwelling houses. There is not the least doubt that the noise created by the working of the oil engine causes considerable nuisance. The existance of the two

other

other old installations at a short distance is no justification for granting licence in the present case. I am, therefore, of opinion that the resolution of the Municipal Council granting the licence should be cancelled.

It is stated that the electrification of the town will be completed in the course of about 6 weeks. The installation of an electric motor of low horse power instead of an oil engine may not be a source of nuisance.

I have the honour to be,
Sir,
Your most obedient servant,

R. Pitchum 4-9.

Dip.Hyg.(Cantab.),
Director of Public Health, Madras.

P.S.3-9.Exd.

45/1619

DRAFT FOR APPROVAL.

C.F. 10.

	Date.	Initials.
When received for fair copying		
When copied		
When examined		
When signed		
When despatched.		

SUBJECT :—

Licence - Udipi Mly - Grant of permission for the installation of a 3 H.P. oil engine in a non-industrial area - Orders issued.

READ AGAIN _____, dated _____ 19____.

" " _____ " _____ 19____

READ *ALSO* :—

No. 31173 From the D.T.P., No. D.T.P. 11358/38, dated 18/7/1938.

" ~~38588~~ " D.P.H. " 26190-1 Hyg/1.9. 1938.

" _____ " _____ " _____ " _____ 19____.

Order ~~Resolution~~ Ms. ~~Rout.~~ No. 3313 PH. dated 16-9- 1938.

Sp 15

A copy of the remarks of the D.P.H. in regard to the grant of permission by the Udipi Ml. Cl. in its resolution No. 20 dt. 14.6.38 to Sri K. Venkatesh Shanbhag for the installation of a 3 H.P. oil engine in building No. 3594-3595 of Kadbettu ward is communicated to the Ml. Cl. for information. The Govt agree with the D.P.H. and in exercise of the powers conferred by Section 252 of the M. D.M. Act, 1920, they hereby direct the Udipi

p. 4 cf

Mn. Cl. to revise its resolution No. 20 of 14.6.38 and to refuse permission for the installation of the said 3 H.P. oil engine. p. 4 of

SRK
13/9/38

12/9

To

The Comr., Udipi Mpty
thro' the C.M.C.
(with copy of pp 7-8 of)

The D.P.H.

The D.T.P.

" C.K. of S. Kanara

Dpd. by PC
Messenger

Dpr.'s initials

Date 19-9-1938

Note:- It appears sufficient to issue a direction under sec. 252 of the M.D.M. Act, in the present case. The draft above letter is for appl

HM(PH) may see.
SRK
13/9/38

12/9

14/9/38

(H.S.'s views taken that this need not go in Cir.)